

FINAL REPORT

THIN FILM SYNTHESIS OF SUPERCONDUCTING

CHEMICAL COMPOUNDS

(AFOSR-80-0009)

May 31, 1984

Submitted to:

Air Force Office of Scientific Research

Solid State Sciences Division Bolling AFB, Building 410 Washington, D.C.

Submitted by:

Department of Chemistry

Cornell University Ithaca, N.Y. 14853

Principal Investigator:

M. J. Sienko (deceased-12/4/83)

Professor of Chemistry

Period of Support:

1 January 1981 — 30 December 1983

Co-Principal Investigators

give per "

1. . . .

Roald Hoffmann

John A. Newman Professor of Physical Sciences

James M. Burlitch

Associate Professor of Chemistry

Period of Support:

1 January 1984 — 31 March 1984

Approved former. distribution and autom.

JUL 2

.ti chivision C1.1 = 1 . .

06 28 015 84

Make: (Marine Makes and Ma			7		-
REPORT DOCUMENTATION PAGE					
18 REPORT SECURITY CLASSIFICATION		16 RESTRICTIVE MARKINGS			
Unclassified					
28. SECURITY CLASSIFICATION AUTHORITY		3. DISTRIBUTION AVAILABILITY OF REPORT			
		Approved for public release;			
26. DECLASSIFICATION/DOWNGRADING SCHEDULE		Distribution unlimited			
4. PERFORMING ORGANIZATION REPORT NUMBERIS)		E MONITORING OR	CANAZATION B	BOOT AU MEERS	.,
4. FERFORMING ORGANIZATION REPORT NUMBERIS)		AFOSR - TR - 24 0 5 4 6			
		Arosk	- 1K-	4 - 0 54	6
6a. NAME OF PERFORMING ORGANIZATION	78. NAME OF MONITORING ORGANIZATION				
Department of Chemistry					
Cornell University		AFOSR/NE			
6c. ADDRESS (City, State and ZIP Code)	7b. ADDRESS (City, State and ZIP Code)				
Cornell University	D14- 410				
Ithaca, N.Y. 14853	Bldg. 410				
		Bolling AFB, D.C. 20332			
8a. NAME OF FUNDING/SPONSORING 8b. OFFICE SYMBOL (If applicable)		9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER			
AFOSR NE		AFOSR-80-0009			
8c. ADDRESS (City, State and ZIP Code)		10. SOURCE OF FUNDING NOS.			
Bldg. 410		PROGRAM	PROJECT	TAST	
Bolling AFB, D.C. 20332		ELEMENT NO.	NO.	1ASF 140.	NO.
		61102F	2306	C1	
11. TITLE (Include Security Classification)					+
Thin Film Synthesis of Sup	perconducting	Chemical C	mpounds		
12. PERSONAL AUTHOR(S)					
M.J. Sienko, Roald Hoffman	n, J.A. Newm	an, J.M. Bu	clitch	·····	
13a. TYPE OF REPORT 13b. TIME COVERED 14 DATE OF REPORT (Yr. Mo., Day) 15. PAGE COUNT 15. PAGE COUNT					
Final FROM 1	ATT OTO SODEC	Log Ma)	1304		
10. SUFFEEREN ANT NOTATION					I
					•
17. COSATI CODES	ontinue on reverse if ne	cessary and identi	fy by black number	.,	
FIELD GROUP SUB GR.					
					Ī
·	<u> </u>	···			
19. ABSTRACT (Continue on reverse if necessary and				_	
The objective of this research was to define the chemical factors that affect					
onset of superconductivity in ternary compounds: to determine how small					
changes in stoichiometry and microstructure influence critical temperature,					
how the number and placing of magnetic ions act to quench superconductivity,					
and how the crystal structure can be modified to enhance superconductivity.					
he approach was to synthesize, from ultrapure starting elements, ternary prides, silicides, sulfides and selenides of the second and third row transi					
on elements, to characterize the new compounds for x-ray structure, electric					
d magnetic behavior, and then compare them with doped materials. Four kind compounds were investigated: rare earth diosmium disilicides, rare earth					
ium-iridium borides, layered structure transition metal dichalcogenides,					
a: Chevrel type molypden					
be ides and rare earth did	am cornarres. Osmium disilia	i eno noca e erow sebin	ere eart	ed by arc	moltina
			ynenesiz ——		mererië.
20 D. PIBUTION: AVAILABILITY OF ABSTRACT		21 ABSTRACT SECURITY CLASSIFICATION			
UNCLA FIED UNLIMITED 🖫 SAME AS RPT. 🗆 DTIC USERS 🗎		Unclassified			
					
22a NA OF RESPONSIBLE INDIVIDUAL		22b TELEPHONE NU		22c OFFICE SYM	BOL
Mr. ! Swerdlow		202-767-49		NF	į
DD FORM 1473, 83 APR				لـــــــــــــــــــــــــــــــــــــ	
	EDITION OF 1 JAN 73 I	\		ASSIFIED	
84 0	6 28 ()15	2F C C H I I	TY CLASSIFICATIO	ON OF HIS PAGE

SECURITY CLASSIFICATION OF THIS PAGE

-BLOCK 19.

The crystal structures were refined and magnetic susceptibility studies revealed conventional Hunds's rule behavior in the disilicides while the (Pr. Nd) (Os.Ir) $_4{\rm B}_4$ compounds are characterized by Van Vleck paramagnetism of

closely spaced multiplets. Only LaOs_Si_ and LuOs_Si_ compounds are superconducting with Tc's in the 2-4K range. In the layered compounds, lithium intercalated ZrS_, ZrSe_, NbS_, and NbSe_ were studied. Tx behavior of 2H-LiNbSe_ is determined principally by the variation in the electronic density of states at the Fermi level, whereas the Tc behavior of 2H-LiNbS_ is further modified by a charge density wave, a form of incipient metal-metal bonding, and by interlayer lithium ordering. The stability of different polytypes dominates the superconducting behavior of the zirconium systems. The Chevrel phases were probed to study the effect of electron concentration, magnetic ions, and disorder upon the superconductivity in these materials. Additionally a correlation was found between a structural instability in the M+2Mo₆S₈ compounds and superconductivity.


The objective of this research was to define the chemical factors that affect onset of superconductivity in ternary compounds: to determine how small changes in stoichiometry and microstructure influence critical temperature, how the number and placing of magnetic ions act to quench superconductivity, and how the crystal structure can be modified to enhance superconductivity. The approach was to synthesize, from ultrapure starting elements, ternary borides, silicides, sulfides and selenides of the second and third row transition elements, to characterize the new compounds for x-ray structure, electric and magnetic behavior, and then compare them with doped materials. Four kinds of compounds were investigated: rare earth diosmium disilicides, rare earth osmium-iridium borides, layered structure transition metal dichalcogenides, and Chevrel type molybdenum ternaries. Both the rare earth osmium-iridium borides and rare earth diosmium disilicides were synthesized by arc melting. The crystal structures were refined and magnetic susceptibility studies revealed conventional Hund's rule behavior in the distilicides while the $(Pr,Nd)(Os,Ir)_{\Delta}^{7}B_{\Delta}^{7}$ compounds are characterized by Van Vleck paramagnetism of closely spaced multiplets. Only LaOs $_2^2$ Si $_2^2$ and LuOs $_2^2$ Si $_2^2$ compounds are superconducting with Tc's in the 2-4K range. In the layered compounds, lithium intercalated ZrS_2 , $ZrSe_2$. NbS_2 , ... and NbSe₂ were studied. To behavior of 2H-LiNbSe₂ is determined principally by the variation in the electronic density of states at the Fermi level, whereas the Tc behavior of 2H-Li_vNbS₂ is further modified by a charge density wave, a form of incipient metal-metal bonding, and by interlayer lithium ordering. The stability of different polytypes dominates the superconducting behavior of the zirconium systems. The Chevrel phases were probed to study the effect of electron concentration, magnetic ions, and disorder upon the superconductivity in these materials. Additionally, a correlation was found between a structural instability in the $M^{+2}Mo_6S_8$ compounds and superconductivity.

and the same of th

SUMMARY

The principal accomplishments during this grant period were:

- synthesis and characterization of a new rare earth osmiumsilicide series;
- (2) synthesis and characterization of a new series of rare earth osmium-iridium borides;
- (3) mapping out the superconductivity behavior in the pseudoternary system $(Y, Lu, Th)Rh_AB_A$;
- (4) Tc and crystallographic study of lithium intercalated ZrS_2 , $ZrSe_2$, and NbS_2 , and $NbSe_2$;
- (5) magnetic study as a function of composition of the high-temperature superconductor $\text{Li}_{x}\text{Ti}_{2-x}0_{4}$;
- (6) synthesis of mixed lithium-magnesium titanium spinels;
- (7) magnetic and superconducting study over the whole pseudobinary system $YbMo_6S_8-YbMo_6S_8$, where we showed that contrary to a report in the literature, the selenide end member of the series is not a superconductor under the conditions studied;
- (8) density of state studies in rare earth molybdenum chalcogenides as deduced from chemical substitution effects on superconductivity;
- (9) study of chalcogen ordering on special position sites in ternary molybdenum chalcogenides;
- (10) magnetic, magnetic resonance, and superconductivity studies in the pseudobinary systems $EuMo_6S_8-EuMo_6Se_8$ and $LaMo_6Se_8-EuMo_6Se_8$;
- (11) magnetic and superconductivity study on the mixed system $SmMo_6(S_{1-x}Se_x)_8$;
- (12) magnetic study of phase instabilities of the $AgMo_6(S_{1-x}Se_x)_8$ system;
- (13) study of phase instabilities and their relationship to superconductivity in the ${\rm M}^{+2}{\rm Mo}_6{\rm S}_8$ system.



The details of these findings are as follows:

- (1) (Kurt Hiebl and Peter Rog1) A new series of rare earth diosmium disilicides has been synthesized by arc melting. The structure type is that of $ThCr_2Si_2$. The crystallographic parameters, particularly the unit-cell volume and the \underline{c} axis show a perfectly regular linearity with trivalent ion radius, except for a pronounced anomaly at cerium. Magnetic susceptibility measurements, over the range 4-1000K show conventional Hund rule behavior for all the series except samarium. The lanthanum and lutetium members are superconducting with Tc's in the 2-4K range.
- (2) (<u>Kurt Hiebl and Peter Rogl</u>) The crystal structure of $NdOs_4B_4$ was refined as the $NdCo_4B_4$ type structure. Complete solid solution was found for mixed crystals $LaOs_4B_4 LaIr_4B_4$. Magnetic susceptibility studies over the range 1.8-1100K showed that $(Pr,Nd)(Os,Ir)_4B_4$ compounds are characterized by Van Vleck paramagnetism of closely spaced multiplets. For the $La(Os,Ir)_4B_4$ series, a small (constant) paramagnetic moment of $O.lu_b$ was derived, possibly attributable to the lanthanum. In the case of $PrIr_4B_4$, ferromagnetic ordering was observed at very low temperature. No superconductivity was found down to 1.5K. The new ternary metal borides, $EuOs_4B_4$ and $EuIr_4B_4$ were synthesized, found to have the $NdCo_4B_4$ type structure, and magnetism corresponding to free Eu^{+2} ions. Complete solid solution was found in the series $CeOs_4B_4 CeIr_4B_4$ with magnetic behavior changing from that of a pure Ce^{+4} state for the osmium compound to Ce^{+3} for the iridium.
- (3) (Kurt Hiebl and Peter Rogl) Superconductivity was studied in the pseudoternary system $YRh_4B_4 LuRh_4B_4 ThRh_4B_4$ as nonmagnetic analogs of RERh_4B_4. Isocritical temperatures as well as isochores were established. A minimal critical temperature was found in the pseudobinary system $Y_xLu_{1-x}Rh_4B_4$ at 10.1K and x=0.5. The pair-breaking influence of magnetic RE ions was worked out in good agreement with the Abrikosov-Gorkov theory for

ren reise filler fo

isotropic elastic exchange scattering of conduction electrons by randomly distributed and noninteracting localized magnetic moments.

(4) (<u>Craig McEwen</u>) $\text{Li}_x \text{NbS}_2$ and $\text{Li}_x \text{NbSe}_2$, where 0 < x < 1, were prepared by high temperature synthesis to examine the effect of lithium intercalation on the superconducting critical temperature of the host materials. $\text{Li}_x \text{ZrS}_2$ and $\text{Li}_x \text{ZrSe}_2$, where 0 < x < 1 were similarly prepared to determine if superconductivity could be induced in the non-superconducting host materials: at x = 1, these materials should be isoelectronic with NbS₂ (Tc = 6.5K) and NbSe₂ (Tc = 7.4k), respectively.

It was found that the behavior of $2H-Li_XNbSe_2$ is determined principally by the variation in the electronic density of states at the Fermi level, whereas the Tc behavior of $2H-Li_XNbS_2$ is further modified by a charge density wave, a form of incipient metal-metal bonding, in the range 0.0 < x < 0.33 and by interlayer lithium ordering (staging) around x = 0.083 (1/12), x = 0.143 (1/7), and x = 0.33 (1/3). Such ordering was found in $2H-Li_XNbSe_2$ where it has less of an effect on Tc. $2H-Li_XNbS_2$ coexists with $3R-Li_XNbS_2$ in the range 0.01 < x < 0.15; the 3R phase was found to superconduct as well. The existence of amorphous superconducting $3R-NbS_2$ was inferred. Additionally, a CDW in the lithium-intercalated 3R materials is proposed.

Various phases were identified in the $\rm Li_xZrS_2$ and $\rm Li_xZrSe_2$ series: with increasing lithium concentration, $\rm Li_xZrSe_2$ proceeds from a 1T to a 3R phase. Magnetic susceptibility measurements suggest that localization of electrons in $\rm Zr^{3+} - \rm Zr^{3+}$ pairs occurs in the 1T and 3R' phases of $\rm Li_xZrS_2$. ESR measurements confirm the existence of localized electrons. $\rm Li_xZrS_2$ and $\rm Li_xZrSe_2$ were also prepared by reaction with n-butyllithium under ambient conditions: the resulting metallic compounds had a different structure than those prepared at high temperature. Apparently electrons in the materials synthesized at high temperatures become localized in metal-metal bonds, explaining why superconductivity is not observed in these materials.

- (5) (Martin R. Harrison) The magnetic susceptibility, ESR and superconductivity have been studied over the range 4.2-300 K for the spinel system Li(Li $_{x}$ Ti $_{2-x}$)0 $_{4}$ as a function of composition. When x=0, the material is Pauli paramagnetic, metallic and superconduting (Tc=11K); when x=1/3, diamagnetic, and insulating. The system is unstable to oxidation of Li $^{+}$ and Ti $^{3+}$ ions which coexist on octahedral sites. This instability, which is most pronounced at x=1/11, is overcome if the lithium ions are lost on firing. However, the material is then unstable to disproportionation into non-metallic and metallic, superconducting regions. The latter form percolating pathways and the material exhibits metallic properties over most of the homogeneity range (0 < x<1/3). A transition does not appear to occur until x is close to 1/3. The composition with x=1/3 can be reduced in hydrogen, but these reduced materials exhibit nonmetallic properties; the electrons are localized by the disorder created by the reduction. Electrons are trapped at oxygen vacancies and interstitial protons in both the unreduced and reduced materials.
- (6) (Martin Harrison and Pat Lambert) The spinel MgTi $_2$ 0 $_4$ has been successfully synthesized from MgO and Ti $_2$ 0 $_3$ by rf heating for 4-5 hours at 1100°C. The mixed spinel Li $_{1-x}$ Mg $_x$ Ti $_2$ 0 $_4$ has also been made, but there is considerable loss of lithium. Two ESR signals are obtained with a curious peaking of line width and g-factor shift at about 120 K. Attempts are still under way to lessen the loss of lithium during preparation.
- (7) (<u>David Johnson and Jean-Marie Tarascon</u>) The pseudobinary systems YbMo₆S₈-YbMo₆Se₈ were investigated for magnetic and superconducting behavior to find out why, of the rare earth molybdenum chalcogenides, ytterbium is anomalously high in the sulfide series and anaomalously low in the selenide series. The superconducting critical temperatures showed a monotonic decrease from 8.65 K for the fully sulfided member to less than 1.6 K for the all selenium sample; but Faraday susceptibility studies showed more magnetic ion (3.3% Yb³⁺)

in the sulfide than in the selenide $(1.3\% \text{ Yb}^{3+})$. Superconductivity of the selenide, as erroneously reported in the literature over the range 4.7-5.8 K, could be reproduced with nonstoichiometric material $\text{Yb}_{1+x}\text{Mo}_6\text{Se}_8$ (Tc = 5.6-5.8) but x-ray studies showed presence of a second phase corresponding to Mo_6Se_8 which normally has Tc = 6 K.

- (8) ($\underline{Jean-Marie\ Tarascon\ and\ David\ C.\ Johnson}$) The pseudobinary systems YbMo $_6S_8$ -LaMo $_6S_8$ and YbMo $_6S_8$ -LaMo $_6S_8$ have been investigated to trace out the effect of replacing a two-electron donor, ytterbium, by a three electron donor, lanthanum, on the crystal structure parameters and on the superconducting critical temperatures. The effect of selenium for sulfur replacement in the system LaMo $_6S_8$ -LaMo $_6S_8$ has been similarly explored. The results are used to derive quantitative information about the effect of unit cell volume and of electron donation on the shape of the density of states curve. It is evident that a rigid band model does not hold. Selenium for sulfur replacement, as expected, narrows the \underline{d} -orbital derived conduction band. Apparently, \underline{LaMo}_6Se_8 lies at the upper van Hove singularity, whereas YbMo $_6Se_8$ falls in the minimum between the upper and lower van Hove peaks.
- (9) (David C. Johnson and Jean Marie Tarascon) The effect on crystallographic parameters of selenium for sulfur replacement has been studied in several series of ternary molybdenum chalcogenides of the Chevrel-phase type. In all the systems examined— $MMo_6(S_{1-x}Se_x)_8$ with M=La, Ce, Sm, Eu, Yb, Pb, Ag and 0 < x < 1 the hexagonal c/a ratio shows a minimum when plotted against the percent sulfur replaced. The minimum is shallowest for the case of Ag and deepest for the case of La and Ce. The apparent cause of the minimum is the strong preference by the selenium for occupancy of the general position chalcogen site rather than the special position site on the $\overline{3}$ axis. The preferred site ordering is greater for M^{3+} than for M^{2+} or M^{+} . Delocalization of M off the $\overline{3}$ axis decreases the ordering, as it tends to increase the bonding in the \underline{a} direction.

- (10) (Jean Marie Tarascon, Martin R. Harrison, and David C. Johnson) Magnetic susceptibility measurements have been carried out by the Faraday method over the range 4.2 300 K on a series of phases of composition $\mathrm{Eu_{1.2}Mo_6(S_{1-x}Se_x)_8}$ where 0 < x < 1. No magnetic ordering and no superconductivity was observed; the europium is essentially divalent over the whole range of composition. Superconducting critical temperatures, measured by an ac mutual inductance technique, show, for the series $\mathrm{La_{1-x}Wu_xMo_6Se_8}$, roughly the same behavior as found for $\mathrm{La_{1-x}Yb_xMo_6Se_8}$ and can be accounted for in terms of the theory of Abrikosov and Korkov. ESR spectra, measured from 4.2 to 300 K at X-band frequency, are quite different for $\mathrm{Eu_{1.2}Mo_6X_8}$ and $\mathrm{Eu_{1.0}Mo_6X_8}$. Furthermore, in some of the $\mathrm{Eu_{1.2}Mo_6S_{8-x}Se_x}$ samples, the temperature study reveals a phase change in the ESR signal around 110 K. The signals, quite surprising for $\mathrm{Eu^{2+}}$, can be interpreted by assuming a spin Hamiltonian containing a crystal field term that is large compared to the Zeeman splitting.
- (11) (David C. Johnson and Jean Marie Tarascon) Magnetic susceptibility measurements have been carried out by the Faraday method over the range $4.2-300\,\mathrm{K}$ and superconducting critical temperatures measured for the solid solution $\mathrm{SmMo}_6(\mathrm{S}_{1-x}\mathrm{Se}_x)_8$. The susceptibility studies indicate that the samarium is in the 3+ oxidation state. The moment obtained for the samarium varies as the symmetry of the chalcogen cube changes throughout the solid solution. This indicates that crystal field effects are important in these materials.
- (12) (<u>David C. Johnson</u>) The silver solid solution, involving a mix of sulfur and selenium, was investigated and room temperature X-ray measurements showed that the solid solution was single phased. The c/a ratio in this series did not vary with composition. Susceptibility measurements over the temperature range 3-300 K were performed and the data suggest that a structural instability occurs in the selenium rich compositions. The anomaly, marked by a sharp decrease in the observed susceptibility, indicates a reduction in the density of states at the Fermi level. The structural instability is either a distortion in the molybdenum octahedron or a localization of the silver atom either on or off of the 3 axis.

- (13) (David C. Johnson and Nathalie Chevreau) The ${\rm M}^{+2}{\rm Mo}_6{\rm S}_8$ compounds (M=Pb, Sn, Eu, Yb, Ba, Sr, Ca) all were found to have a lattice instability. The temperature at which the molybdenum octahedra distorts is a function of the bonding differences between the different ternary metals and is related to the electron polarizability of the cation. The lattice distortion temperature was found to be inversely proportional to the observed superconducting critical temperature as a result of the localization of electrons from the conduction band to intracluster molybdenum-molybdenum bonds when the structure distorts. This observation was then extended to the PbMo $_6({\rm S}_{1-x}{\rm Se}_x)_8$ solid solution.
- (14) (Nathalie Chevreau and David C. Johnson) A new low temperature technique was devised to synthesize the previously unknow hases, $SbMo_6Se_8$ and $BiMo_6S_8$. The procedure used was to leach out the core from the phases $Cu_{1.8}Mo_6S_8$ via a solution of iodine in acetonitrile. The culting material, Mo_6S_8 , was then heated with the ternary element, antimony or bismuth, up to $600\,^{\circ}C$ in a sealed quartz tube. The resulting compounds were characterized by X-ray diffraction and DTA and found to be single phased. The $BiMo_6S_8$ samples were found to superconduct in the 3-5 K range.

PERSONNEL

In addition to the principal investigator, Professor M. J. Sienko, the following people were associated with this project during various parts of the grant period:

A. Postdoctoral Associates

Dr. Martin R. Harrison (4/9/81 - 4/8/83)

Dr. Nathalie Chevreau (8/19/82 - 5/10/84)

Dr. Kurt Hiebl (7/26/78 - 8/31/83)

Dr. Jean Marie Tarascon (9/15/80 -12/23/81)

Or. Peter Rog1 (7/81 - 8/81)

Dr. David C. Johnson (10/83 - 3/84)

B. Research Assistants

David C. Johnson

Craig McEwen

Eric Bell

Dell St.Julien

Pat Lambert

David Guy

Two Ph.D. degrees were completed during this period, that of Craig McEwen on "Structure and Physical properties of Lithium Intercalated Zirconium and Niobium Dichalcogenides" and that of David C. Johnson on "Structure and Physical Properties of the Ternary Molybdenum Chalcogenides".

or the tree in in the fire

PUBLICATIONS

The following papers containing AFOSR acknowledgement were published, accepted for publication, or submitted for publication during the report period:

- 1. "Hf(Se_{1-x}Te_x)₂: Deviations from Vegard's Law in Mixed Systems," D. T. Hodul and M. J. Sienko. <u>Inorg. Chem.</u> 20, 3655-3659 (1981).
- "Magnetic Behavior and Structural Chemistry of RE(Os, Ir)₄B₄-Borides,"
 K. Hiebl, P. Rogl, and M. J. Sienko. <u>J. Less-Common Metals</u> <u>82</u>, 21-28 (1981).
- "Phase Separation in Metal Solutions and Expanded Fluid Metals,"
 P. P. Edwards and M. J. Sienko, J. Am. Chem. Soc. 103, 2967-2971 (1981).
- 4. "Temperature-Dependent Electron Spin Interactions in Lithium [2.1.1] Cryptate Electride Powders and Films," J. S. Landers, J. L. Dye, A. Stacy, and M. J. Sienko, <u>J. Phys. Chem.</u> <u>85</u>, 1096-1099 (1981).
- "Superconductivity in the Pseudoternary System YRh₄B₄-LuRh₄B₄-ThRh₄B₄,"
 K. Hiebl, P. Rogl, and M. J. Sienko, <u>J. Less-Common Metals</u> <u>82</u>, 201-210 (1981).
- 6. "Ambivalent Behavior of Ytterbium in the Pseudobinary System $YbMo_6S_8$ -YbMo_6Se_8," J.-M. Tarascon, D. C. Johnson, and M. J. Sienko, <u>Inorg. Chem.</u> 21, 1505-1511 (1982).
- 7. "Structural Chemistry and Magnetic Properties of the Compounds $EuOs_4B_4$ and $EuIr_4B_4$ and of the Solid Solutions $REOs_4B_4$ -REIr_4B_4 (RE = Ce, Pr, Sm)," K. Hiebl, P. Rogl, and M. J. Sienko, <u>Inorg. Chem.</u> 21, 1128-1133 (1982).
- 8. "The Transition to the Metallic State," P. P. Edwards and M. J. Sienko, Accts. Chem. Res. 15, 87-93 (1982).
- "Conductivity Studies in Search of Liquid-Liquid Phase Separation by Solutions of Lithium in Methylamine," R. Hagedorn and M. J. Sienko, J. Phys. Chem. 86, 2094-2097 (1982).

- 10. "The Transition to the Metallic State," P. P. Edwards and M. J. Sienko, Accts.Chem. Res. 15, 1505-1511 (1982).
- 11. "Ambivalent Behavior of Ytarbium in the Pseudobinary System YbMo₆S₈-YbMo₆Se₈," J.-M. Tarascon, D. C. Johnson, and M. J. Sienko, <u>Inorg. Chem.</u> 21, 1128-1133 (1982).
- "Structural Chemistry and Magnetic Properties of the Compounds EuOs₄B₄ and EuIn₄B₄ and of the Solid Solutions REOs₄B₄- REIn₄ (RE = Ce, Pn, Sm),"
 K. Hiebl, P. Rogl, and M. J. Sienko, <u>Inorg. Chem.</u> 21, 1128-1133 (1982).
- "Conductivity Studies in Search of Liquid-Liquid Phase Separation by Solutions of Lithium in Methylamine," R. Hagedorn and M. J. Sienko, J. Phys. Chem. 86, 2094-2097 (1982).
- 14. "Re-evaluation of the Crystal Structure Data on the Expanded-Metal Compounds Li(NH₃)₄ and Li(ND₃)₄," A. M. Stacy and M. J. Sienko, <u>Inorg. Chem.</u> 21, 2294-2297 (1982).
- 15. "Low-Temperature Magnetic Susceptibility of the Expanded-Metal Compounds Li(NH₃)₄ and Li(ND₃)₄," A. M. Stacy, D. C. Johnson, and M. J. Sienko, J. Chem. Phys. 76, 4248-4254 (1982).
- 16. "Crystal Chemistry and Superconductivity in Lithium-Intercalated Niobium Disulfide," C. S. McEwen and M. J. Sienko, <u>Rev. Chim. Minerale</u> 19, 309-316 (1982).
- 17. "Electron-electron Interactions in Expanded-Metal Compounds," A. M. Stacy,
 P. P. Edwards, and M. J. Sienko, <u>J. Solid State Chem.</u> 45, 63-70 (1982).
- 18. "Electric and Magnetic Interactions in the Intercalated Dichalcogenides,"
 C. S. McEwen and M. J. Sienko, <u>Annales de Chimie</u> 7, 433-443 (1982).
- "Magnetic Susceptibility of Hydrozine Intercalated TiSe₂," D.R.P. Guy,
 R. H. Friend, D. C. Johnson, and M. J. Sienko, <u>J. Phys. C</u>. <u>15</u>, L 1251 (1982).
- 20. "Magnetic Properties of the Hydrozine Intercalation Complexes of 1T-TaS₂."
 D.R.P. Guy, R. H. Friend, M. R. Harrison, D. C. Johnson, and M. J. Sienko,
 J. Phys. C. 15, L 1243 (1982).

- 21. "An EXAFS Study of the Thermal Decomposition of Molybdenum Trisulfide,"
 D. J. Huntley, T. G. Parkam, R. P. Merrill, and M. J. Sienko, <u>Inorg. Chem.</u>
 22, 4144 (1983).
- 22. "Energy Density of Electronic States in Rare Earth Molybdenum Chalcogenides as Deduced from Studies of Chemical Substitution Effects on Superconductivity,"
 J.-M. Tarascon, D. C. JOhnson, and M. J. Sienko, <u>Inorg. Chem.</u> 22, 3769 (1983).
- 23. "Chalcogen Ordering on Special Position Sites in Ternary Molybdenum Chalcogenides," D. C. Johnson, J.-M. Tarascon, and M. J. Sienko, <u>Inorg. Chem.</u> 22, 3773 (1983).
- 24. "Magnetic, Magnetic Resonance, and Superconductivity Studies in the Pseudobinary Systems Eu_{1.2}Mo₆S₈—Eu_{1.2}Mo₆Se₈ and LaMo₆Se₈—EuMo₆Se₈," J.-M. Tarascon, M. R. Harrison, D. C. Johnson, and M. J. Sienko, <u>Inorg. Chem.</u> 23, 1094 (1984).
- 25. "What is a Metal?" P. P. Edwards and M. J. Sienko, <u>International Reviews</u>
 in Physical Chemistry, submitted.